

| Year | Franklin | Essex | Statewide | Franklin Percent change | Essex Percent Change | Statewide Percent Change |
|-----------------------|----------|-------|-----------|-------------------------|----------------------|--------------------------|
| 2005 | 484 | 380 | 245,402 | | | |
| 2006 | 516 | 363 | 249182 | 6.6% | -4.5% | 1.5% |
| 2007 | 555 | 357 | 252662 | 7.6% | -1.7% | 1.4% |
| 2008 | 533 | 375 | 249655 | -4.0% | 5.0% | -1.2% |
| 2009 | 514 | 351 | 246592 | -3.6% | -6.4% | -1.2% |
| 2010 | 485 | 337 | 242914 | -5.6% | -4.0% | -1.5% |
| 2011 | 521 | 314 | 239736 | 7.4% | -6.8% | -1.3% |
| 2012 | 531 | 337 | 239224 | 1.9% | 7.3% | -0.2% |
| 2013 | 510 | 307 | 235274 | -4.0% | -8.9% | -1.7% |
| 2014 | 441 | 298 | 238000 | -13.5% | -2.9% | 1.2% |
| 2015 | 491 | 336 | 235964 | 11.3% | 12.8% | -0.9% |
| 2016 | 475 | 265 | 232663 | -3.3% | -21.1% | -1.4% |
| Average annual change | | | | 0.1% | -2.8% | -0.5% |

Source: New York Department of Health Vital Statistics

Analyzed by Jesse Adcock, reporter at the Adirondack Daily Enterprise

| Year | AMC number of births | Percent change | AMC1 |
|-------------------------|----------------------|----------------|------|
| 2008 | 181 | | |
| 2009 | 176 | -2.8% | |
| 2010 | 170 | -3.4% | |
| 2011 | 177 | 4.1% | |
| 2012 | 167 | -5.6% | |
| 2013 | 165 | -1.2% | |
| 2014 | 141 | -14.5% | |
| 2015 | 176 | 24.8% | |
| 2016 | 154 | -12.5% | |
| 2017 | 174 | 13.0% | |
| 2018 | 160 | -8.0% | |
| Ten year average change | | -0.6% | |

Source: Adirondack Medical Center

Analyzed by Jesse Adcock, reporter at the Adirondack Daily Enterprise

| Statewide | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|-----------|------|-------|-------|-------|-------|-------|-------|-------|-----|
| 2005 | 259 | 5332 | 11704 | 49413 | 63599 | 65546 | 39315 | 9531 | 664 |
| 2006 | 220 | 5216 | 12189 | 51147 | 65527 | 64865 | 39799 | 9477 | 712 |
| 2007 | 193 | 5277 | 12322 | 51543 | 67290 | 66128 | 39457 | 9613 | 811 |
| 2008 | 242 | 5074 | 12171 | 50924 | 66181 | 65527 | 38991 | 9689 | 819 |
| 2009 | 207 | 4687 | 11561 | 49540 | 65640 | 66605 | 37716 | 9777 | 837 |
| 2010 | 185 | 4330 | 10749 | 47844 | 64238 | 67131 | 37741 | 9843 | 843 |
| 2011 | 180 | 3811 | 9868 | 45929 | 64305 | 67655 | 37372 | 9795 | 812 |
| 2012 | 179 | 3500 | 9054 | 45275 | 63298 | 69056 | 37989 | 10028 | 839 |
| 2013 | 125 | 2972 | 8119 | 43326 | 62121 | 69256 | 38608 | 9838 | 869 |
| 2014 | 102 | 2571 | 7372 | 41877 | 63670 | 71713 | 40116 | 9707 | 866 |
| 2015 | 94 | 2417 | 6516 | 40031 | 62777 | 71701 | 41446 | 10049 | 927 |
| 2016 | 86 | 2036 | 5941 | 37467 | 62169 | 71756 | 42270 | 9999 | 939 |

Source: New York Department of Health Vital Statistics

Analyzed by Jesse Adcock, reporter at the Adirondack Daily Enterprise

| Percent of births | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|-------------------|------|-------|-------|-------|-------|-------|-------|-------|------|
| 2005 | 0.1% | 2.2% | 4.8% | 20.1% | 25.9% | 26.7% | 16.0% | 3.9% | 0.3% |
| 2006 | 0.1% | 2.1% | 4.9% | 20.5% | 26.3% | 26.0% | 16.0% | 3.8% | 0.3% |
| 2007 | 0.1% | 2.1% | 4.9% | 20.4% | 26.6% | 26.2% | 15.6% | 3.8% | 0.3% |
| 2008 | 0.1% | 2.0% | 4.9% | 20.4% | 26.5% | 26.3% | 15.6% | 3.9% | 0.3% |
| 2009 | 0.1% | 1.9% | 4.7% | 20.1% | 26.6% | 27.0% | 15.3% | 4.0% | 0.3% |
| 2010 | 0.1% | 1.8% | 4.4% | 19.7% | 26.4% | 27.6% | 15.5% | 4.1% | 0.3% |
| 2011 | 0.1% | 1.6% | 4.1% | 19.2% | 26.8% | 28.2% | 15.6% | 4.1% | 0.3% |
| 2012 | 0.1% | 1.5% | 3.8% | 18.9% | 26.5% | 28.9% | 15.9% | 4.2% | 0.4% |
| 2013 | 0.1% | 1.3% | 3.5% | 18.4% | 26.4% | 29.4% | 16.4% | 4.2% | 0.4% |
| 2014 | 0.0% | 1.1% | 3.1% | 17.6% | 26.8% | 30.1% | 16.9% | 4.1% | 0.4% |
| 2015 | 0.0% | 1.0% | 2.8% | 17.0% | 26.6% | 30.4% | 17.6% | 4.3% | 0.4% |
| 2016 | 0.0% | 0.9% | 2.6% | 16.1% | 26.7% | 30.8% | 18.2% | 4.3% | 0.4% |

| Essex | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|-------|------|-------|-------|-------|-------|-------|-------|-------|-----|
| 2005 | 0 | 6 | 25 | 92 | 116 | 81 | 46 | 13 | 1 |
| 2006 | 0 | 1 | 22 | 98 | 109 | 87 | 41 | 5 | 0 |
| 2007 | 0 | 7 | 20 | 110 | 91 | 86 | 33 | 10 | 0 |
| 2008 | 1 | 3 | 26 | 123 | 100 | 79 | 33 | 9 | 1 |
| 2009 | 1 | 5 | 16 | 93 | 109 | 79 | 40 | 8 | 0 |
| 2010 | 0 | 4 | 14 | 107 | 93 | 76 | 36 | 7 | 0 |
| 2011 | 0 | 6 | 23 | 86 | 85 | 75 | 35 | 3 | 1 |
| 2012 | 1 | 5 | 17 | 80 | 111 | 78 | 30 | 14 | 1 |
| 2013 | 0 | 1 | 11 | 80 | 96 | 65 | 44 | 8 | 2 |
| 2014 | 1 | 7 | 19 | 59 | 90 | 78 | 38 | 6 | 0 |
| 2015 | 0 | 6 | 12 | 84 | 111 | 66 | 51 | 6 | 0 |
| 2016 | 0 | 8 | 10 | 52 | 76 | 80 | 35 | 4 | 0 |

Source: New York Department of Health Vital Statistics

Analyzed by Jesse Adcock, reporter at the Adirondack Daily Enterprise

| Percent of births | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|-------------------|-------|-------|-------|--------|--------|--------|--------|-------|-------|
| 2005 | 0.00% | 1.58% | 6.58% | 24.21% | 30.53% | 21.32% | 12.11% | 3.42% | 0.26% |
| 2006 | 0.00% | 0.28% | 6.06% | 27.00% | 30.03% | 23.97% | 11.29% | 1.38% | 0.00% |
| 2007 | 0.00% | 1.96% | 5.60% | 30.81% | 25.49% | 24.09% | 9.24% | 2.80% | 0.00% |
| 2008 | 0.27% | 0.80% | 6.93% | 32.80% | 26.67% | 21.07% | 8.80% | 2.40% | 0.27% |
| 2009 | 0.28% | 1.42% | 4.56% | 26.50% | 31.05% | 22.51% | 11.40% | 2.28% | 0.00% |
| 2010 | 0.00% | 1.19% | 4.15% | 31.75% | 27.60% | 22.55% | 10.68% | 2.08% | 0.00% |
| 2011 | 0.00% | 1.91% | 7.32% | 27.39% | 27.07% | 23.89% | 11.15% | 0.96% | 0.32% |
| 2012 | 0.30% | 1.48% | 5.04% | 23.74% | 32.94% | 23.15% | 8.90% | 4.15% | 0.30% |
| 2013 | 0.00% | 0.33% | 3.58% | 26.06% | 31.27% | 21.17% | 14.33% | 2.61% | 0.65% |
| 2014 | 0.34% | 2.35% | 6.38% | 19.80% | 30.20% | 26.17% | 12.75% | 2.01% | 0.00% |
| 2015 | 0.00% | 1.79% | 3.57% | 25.00% | 33.04% | 19.64% | 15.18% | 1.79% | 0.00% |
| 2016 | 0.00% | 3.02% | 3.77% | 19.62% | 28.68% | 30.19% | 13.21% | 1.51% | 0.00% |

| Franklin | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|----------|------|-------|-------|-------|-------|-------|-------|-------|-----|
| 2005 | 0 | 12 | 39 | 162 | 134 | 83 | 43 | 11 | 0 |
| 2006 | 0 | 15 | 54 | 164 | 151 | 80 | 44 | 7 | 1 |
| 2007 | 0 | 8 | 48 | 171 | 194 | 88 | 30 | 15 | 1 |
| 2008 | 0 | 6 | 47 | 155 | 178 | 98 | 35 | 14 | 0 |
| 2009 | 1 | 13 | 41 | 155 | 169 | 94 | 32 | 9 | 0 |
| 2010 | 0 | 16 | 29 | 151 | 161 | 93 | 25 | 10 | 0 |
| 2011 | 0 | 15 | 29 | 154 | 169 | 106 | 41 | 7 | 0 |
| 2012 | 0 | 4 | 38 | 161 | 166 | 121 | 40 | 1 | 0 |
| 2013 | 0 | 11 | 24 | 141 | 161 | 115 | 45 | 12 | 0 |
| 2014 | 0 | 3 | 24 | 118 | 162 | 89 | 37 | 8 | 0 |
| 2015 | 0 | 6 | 28 | 145 | 168 | 98 | 39 | 5 | 2 |
| 2016 | 1 | 7 | 29 | 129 | 149 | 110 | 46 | 3 | 1 |

Source: New York Department of Health Vital Statistics

Analyzed by Jesse Adcock, reporter at the Adirondack Daily Enterprise

| Percent of births | < 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
|-------------------|------|-------|-------|-------|-------|-------|-------|-------|------|
| 2005 | 0.0% | 2.5% | 8.1% | 33.5% | 27.7% | 17.1% | 8.9% | 2.3% | 0.0% |
| 2006 | 0.0% | 2.9% | 10.5% | 31.8% | 29.3% | 15.5% | 8.5% | 1.4% | 0.2% |
| 2007 | 0.0% | 1.4% | 8.6% | 30.8% | 35.0% | 15.9% | 5.4% | 2.7% | 0.2% |
| 2008 | 0.0% | 1.1% | 8.8% | 29.1% | 33.4% | 18.4% | 6.6% | 2.6% | 0.0% |
| 2009 | 0.2% | 2.5% | 8.0% | 30.2% | 32.9% | 18.3% | 6.2% | 1.8% | 0.0% |
| 2010 | 0.0% | 3.3% | 6.0% | 31.1% | 33.2% | 19.2% | 5.2% | 2.1% | 0.0% |
| 2011 | 0.0% | 2.9% | 5.6% | 29.6% | 32.4% | 20.3% | 7.9% | 1.3% | 0.0% |
| 2012 | 0.0% | 0.8% | 7.2% | 30.3% | 31.3% | 22.8% | 7.5% | 0.2% | 0.0% |
| 2013 | 0.0% | 2.2% | 4.7% | 27.7% | 31.6% | 22.6% | 8.8% | 2.4% | 0.0% |
| 2014 | 0.0% | 0.7% | 5.4% | 26.8% | 36.7% | 20.2% | 8.4% | 1.8% | 0.0% |
| 2015 | 0.0% | 1.2% | 5.7% | 29.5% | 34.2% | 20.0% | 7.9% | 1.0% | 0.4% |
| 2016 | 0.2% | 1.5% | 6.1% | 27.2% | 31.4% | 23.2% | 9.7% | 0.6% | 0.2% |